Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in

the application:

1. (Currently Amended) A method, comprising:

in an object oriented <u>run-time</u> environment:

a) invoking a second method from a first method, said invoking comprising

providing an identification of said first method and a class that said first

method is a part of;

b) identifying a plug-in module for said first method based upon said

identification, said plug-in module containing a handler method;

c) executing said handler method to report and/or record information about

perform a output function for said first method; and,

d) executing said first method from a point beyond where said second

method was invoked.

2. (Original) The method of claim 1 wherein said executing of said handler

method causes an entry time for said first method to be recorded .

3. (Original) The method of claim 1 wherein said executing of said handler

method causes an exit time for said first method to be recorded.

App. No.: 10/749,617

Amdt. dated Nov. 1, 2006

-4-

4. (Original) The method of claim 1 wherein said executing of said handler

method causes a counter maintained for said first method to be incremented.

5. (Original) The method of claim 1 wherein said executing of said handler

method causes an input parameter value of said first method to be recorded.

6. (Original) The method of claim 1 wherein said executing of said handler

method causes a returned value of said first method to be recorded.

7. (Original) The method of claim 1 wherein said first method is a constructor.

8. (Original) The method of claim 1 further comprising creating, prior to said

invoking, an object having an input parameter value of said first method.

9. (Original) The method of claim 1 wherein said invoking further comprises

providing an input parameter value of said first method.

10. (Original) The method of claim 1 wherein said invoking further comprises

identifying where said first method's instructions can be found in memory.

11. (Currently Amended) The method of claim 1 further comprising, after said

executing said first method from a point beyond where said second method was

-5-

invoked a portion of said first method:

App. No.: 10/749,617

Amdt. dated Nov. 1, 2006

Atty. Docket No.: 6570P041

- e) invoking a third method from said first method because said first method is about to reach an exit point, said second method having been invoked from said first method because an entry point of said first method
- f) re-identifying said plug-in module for said first method as a consequence of said invoking a third method;

had just been reached;

- g) re-executing said handler method to report and/or record information about perform a output function for said first method; and,
- h) executing a remaining portion of said first method through said exit point.
- 12. (Currently Amended) The method of claim 1 further comprising, after said executing said first method from a point beyond where said second method was invoked a portion of said first method:
 - e) flowing from said first method to a third method
 - f) invoking said second method from said third method, said invoking comprising providing an identification of said third method and a second class that said third method is a part of;
 - g) identifying said plug-in module for said third method based upon said third method and second class identification;
 - h) executing said handler method to <u>report and/or record information</u>

 <u>about perform a output function for said third method; and,</u>

i) executing a portion of said third method from a point beyond where said

second method was invoked.

13. (Currently Amended) The method of claim 12 wherein g) further comprises

comprising also identifying a second plug-in module for said third method based

upon said third method and second class identification, said second plug-in

module containing a second handler method.

14. (Currently Amended) The method of class 13 further comprising also

executing said second handler method to perform a report and/or record different

information about said third method than what said first handler method reported

and/or recorded about said third methodoutput function than said output function

for said third method.

15. (Currently Amended) The method of claim 14 wherein a first object is called

to execute said first method and a second method object is called to execute said

third methodobject.

16. (Currently Amended) The method of claim 15 wherein said object oriented

run-time environment is a Java object oriented environment.

App. No.: 10/749,617 Amdt. dated Nov. 1, 2006 -7-

17. (Currently Amended) The method of claim 1 wherein said invoking further

comprises providing said first method's signature, said first method's signature

comprising:

said identification of said first method;

said identification of said class that said first method is a part of; and,

said first method's arguments.

18. (Currently Amended) One or more machine readable media containing

instructions which when executed by one or more computing systems cause a

method to be performed, said method, comprising:

in an object oriented run-time environment:

a) invoking a second method from a first method, said invoking comprising

providing an identification of said first method and a class that said first

method is a part of;

b) identifying a plug-in module for said first method based upon said

identification, said plug-in module containing a handler method;

c) executing said handler method to report and/or record information about

perform a output function for said first method; and,

d) executing said first method from a point beyond where said second

method was invoked.

App. No.: 10/749,617 Amdt. dated Nov. 1, 2006

-8-

19. (Original) The one or more machine readable media of claim 18 wherein

said executing of said handler method causes an entry time for said first method

to be recorded.

20. (Original) The one or more machine readable media of claim 18 wherein

said executing of said handler method causes an exit time for said first method

to be recorded.

21. (Original) The one or more machine readable media of claim 18 wherein

said executing of said handler method causes a counter maintained for said first

method to be incremented.

22. (Original) The one or more machine readable media of claim 18 wherein

said executing of said handler method causes an input parameter value of said

first method to be recorded.

23. (Original) The one or more machine readable media of claim 18 wherein

said executing of said handler method causes a returned value of said first

method to be recorded.

24. (Original) The one or more machine readable media of claim 18 wherein

-9-

said first method is a constructor.

App. No.: 10/749,617

Amdt. dated Nov. 1, 2006

Atty. Docket No.: 6570P041

25. (Original) The one or more machine readable media of claim 18 further

comprising creating, prior to said invoking, an object having an input parameter

value of said first method.

26. (Original) The one or more machine readable media of claim 18 wherein

said invoking further comprises providing an input parameter value of said first

method.

27. (Original) The one or more machine readable media of claim 18 wherein

said invoking further comprises identifying where said first method's instructions

can be found in memory.

28. (Currently Amended) The one or more machine readable media of claim 18

further comprising, after said executing said first method from a point beyond

where said second method was invoked a portion of said first method:

e) invoking a third method from said first method because said first

method is about to reach an exit point, said second method having been

invoked from said first method because an entry point of said first method

had just been reached;

f) re-identifying said plug-in module for said first method as a

consequence of said invoking a third method;

g) re-executing said handler method to report and/or record information

about perform a output function for said first method; and,

App. No.: 10/749,617

-10-

- h) executing a remaining portion of said first method through said exit point.
- 29. (Currently Amended) The one or more machine readable media of claim 18 further comprising, after said executing said first method from a point beyond where said second method was invoked a portion of said first method:
 - e) flowing from said first method to a third method
 - f) invoking said second method from said third method, said invoking comprising providing an identification of said third method and a second class that said third method is a part of;
 - g) identifying said plug-in module for said third method based upon said third method and second class identification;
 - h) executing said handler method to report and/or record information

 about -perform a output function for said third method; and,
 - i) executing a portion of said third method from a point beyond where said second method was invoked.
- 30. (Currently Amended) The one or more machine readable media of claim 29 wherein g) further comprises comprising also identifying a second plug-in module for said third method based upon said third method and second class identification, said second plug-in module containing a second handler method.

31. (Currently Amended) The one or more machine readable media of class 30

further comprising also executing said second handler method perform a report

and/or record different information about said third method than what said first

handler method reported and/or recorded about said third methodoutput function

than said output function for said third method.

(Currently Amended) The one or more machine readable media of claim 31

wherein a first object is called to execute said first method and a second object

method is called to execute said third methodobject.

33. (Currently Amended) The one or more machine readable media of claim 32

wherein said object oriented <u>run-time</u> environment is a Java object oriented

environment.

34. (Currently Amended) The one or more machine readable media of claim 18

wherein said invoking further comprises providing said first method's signature,

said first method's signature comprising:

said identification of said first method:

said identification of said class that said first method is a part of; and,

-12-

said first method's arguments.

App. No.: 10/749,617

COMMENTS

The enclosed is responsive to the Examiner's Office Action mailed on

August 23, 2006. At the time the Examiner mailed the Office Action claims 1-34

were pending. By way of the present response the Applicant has: 1) amended

claims 1, 11-18 and 28-34; 2) has not added any claims; 3) has not canceled any

claims. As such, claims 1-34 remain pending. The Applicant respectfully

requests reconsideration of the present application and the allowance of claims

1-34.

Claim Objections

The Examiner has objected to claims 1 and 18 for their recital of the term

"a output". That term has presently been stricken thereby removing the basis for

the Examiner's rejection.

Claim Rejections Under 35 U.S.C. § 112

Claims 11 and 28 stand rejected because of their recital of the terms "re-

identifying said plug-in module" and "re-executing said handler method".

According to the Examiner "it is unclear how and why the plug-in module of

Claims 1 and 18 is re-identified and how and why the handler method of Claims 1

and 18 is re-executed . . . [a]pplicant's specification teaches identifying a plug-in

module and executing a handler as a consequence of invoking another method."

See, Examiner's Office Action, mailed 8/23/06, pg. 2.

App. No.: 10/749,617

Amdt. dated Nov. 1, 2006

-13-

The Applicant invites the Examiner to focus upon Figure 4b of the Applicant's specification. Figure 4b of the Applicant's specification reveals a runtime process flow (with a dotted line) which shows, for example, entry into "method 1" 405, where specially inserted bytecode instructions at entry point 409 invoke dispatch unit 430. The dispatch unit 430 identifies the appropriate plug-in module for method 1 405 (specifically, plug-in module A 460) and assists redirection of the process flow to plug-in module A 460. Because plug-in module A 460 contains "tracing" handler 461, re-direction of the process flow to plug-in module A 460 causes the instructions of tracing handler 461 to be executed. The process flow returns to method 1 405 to execute the bytecode instructions that follow the specially inserted bytecode at entry point 409. Eventually the process flow is destined to exit method 1 causing specially inserted bytecode at the exit point 415 to again invoke dispatch unit 430. The dispatch unit 430 re-identifies plug-in module A 460 as the appropriate plug-in module. Thus the process flow, as indicate by the dotted line, is again re-directed to plug-in A module A 460, which, in turn, causes the instructions of tracing handler 461 to be re-executed.

Thus the Applicant's specification discloses re-identification of a plug-in module and re-execution of a handler method. The Examiner can view the above described embodiment as being covered by claim 11 with the following perspective: 1) "the first method" corresponds to method_1 405; 2) "the second method" corresponds to a ".entry" method call made to the dispatch unit 430 from entry point 409; 3) "the third method" corresponds to a ".exit" method call made to the dispatch unit 430 from exit point 415. For further information the Examiner

-14-

App. No.: 10/749,617 Amdt. dated Nov. 1, 2006 Reply to Office action of Aug. 23, 2006 is invited to review: 1) paragraph [0066] (summarizing that the same plug-in module and tracing handler is invoked for both entry to and exit from method_1 405); and, 2) paragraphs [0081] through [0085] (discussing ".entry" and ".exit" method calls to the dispatcher).

Claims 12 and 29 stand rejected because of their recital of the terms "identifying said plug-in module" and "executing said handler method". According to the Examiner, ". . . it is unclear how and why the handler method of Claims 1 and 18 is executed. See, Examiner's Office Action mailed 8/23/06, p. 2.

The Examiner is again invited to refer to Figure 4b of the Applicant's specification, and moreover, to continue following the process flow after it exits method_1 405 at exit point 415 and enters method_2 406 at entry point 410.

From the process flow observed in Figure 4b it is clear that method_2 406 follows the same process as method_1 405. That is, for both entry point 410 and exit point 417, plug-in module A identifies dispatch unit 430 and the process flow flows through handler 461. Therefore the same plug-in module and handler are identified and executed for two different methods (method_1 405 and method2 406). The Examiner can view the embodiment discussed above as being covered by claim 12 with the following perspective: 1) "the first method" corresponds to method_1 405; 2) "the second method" corresponds to a ".entry" method call made to the dispatch unit 430 (once at element a) and again at element f)); and 3) "the third method" corresponds to method_2 406.

Claims 11-12 and 28-29 stand rejected for the claim element "a portion of

said first method." The Applicant has stricken this language thereby removing

the basis for the Examiner's rejection.

Claims 15 and 32 stand rejected for their recitation of the claim element

"execute third object". The Applicant has amended claims 15 and 32 to recite "...

. wherein a first object is called to execute said first method and a second object

s called to execute said third method. The Applicant respectfully submits that the

basis for the Examiner's rejection has been removed by way of the above

amendment.

Claims 17 and 34 stand rejected for their recitation of the claim element

"said identification of said class". The Applicant respectfully submits that claims

17 and 34 meet the requirements of 35 U.S.C. § 112, ¶ 2 as written. Specifically,

element a) of base claims 1 and 18 recite "identification of said first method and a

class". That is, both a method and a class are identified. Therefore, the meaning

of the claim element "said identification of said class" is sufficiently clear and

does require further amendment.

Claim Rejections Under 35 U.S.C. § 101

The Examiner has rejected all claims as failing to be directed to statutory

subject matter. The Applicant disagrees with the Examiner's initial rejection of

-16-

App. No.: 10/749.617

Amdt. dated Nov. 1, 2006

Atty. Docket No.: 6570P041

the claims under 35 U.S.C. § 101. However, in order to improve the clarity of element c) in independent claims 1 and 18, the Applicant has amended element c) of independent claims 1 and 18 to recite "executing [the] handler method to report and/or record information about [the] first method". As a side-effect, the Applicant submits that the above described amendment causes the claim to be acceptable to the Examiner's definition of the requirements of 35 U.S.C. § 101. Specifically, a result in the form of a report and/or record of information about the first method is specifically recited. The Applicant therefore respectfully submits that the rejections under 35 U.S.C. § 101 should be removed.

Claim Rejections Under 35 U.S.C. § 102(e)

Independent claims 1 and 18 stand rejected under 35 U.S.C. § 102(e) as being anticipated by U.S. Pub'd App. No. 2005/0039171, hereinafter "Avakian et. al.". The Applicant commends the Examiner for the finding of the pertinent Avakian et. al. reference. However, the Applicant respectfully submits that Avakian et. al. reference. Recall from the Applicant's discussions above regarding the rejections of claims 11, 12 and 28, 29 under 35 U.S.C. § 112, ¶ 2 that the Applicant's disclosure articulates method calls made to a dispatcher at method entry points and method exit points. The Examiner was advised to review paragraphs [0081] through [0085] of the Applicant's specification concerning the ".entry" and ".exit" methods. These paragraphs, and Figure 6A of the Applicant's specification to which paragraphs [0081] and [0085] refer, clearly articulate that the parameters of the .entry and .exit methods include an

identification of the calling method and its class. See, e.g., Applicant's

specification, Figure 6A, showing "classid" and "methodid" for each of method

calls 643a, 644a, 645a, 646a. From this view, moreover, element a) of

independent claims 1 and 18 recites (emphasis added):

invoking a second method from a first method, said invoking comprising providing

an identification of said first method and a class that said first method is a part of

The Applicant respectfully requests that Avakian et. al. fails at least to disclose

this element. That is, the function calls made by the specially inserted bytecode

of Avakian do not include an identification of the calling method nor its class.

Figure 7 of Avakian et. al. discloses a number of functions calls made by the

specially inserted bytecode instructions 702, 706, 708, 716 none of which include

as their parameters the identification of the instrumented method ("buy") nor its

class. As such, Avakian fails to anticipate independent claims 1 and 18.

Therefore independent claims 1 and 18 are allowable over the Avakian et. al.

reference.

Because the Applicant has demonstrated the patentability of all pending

independent claims, the Applicant respectfully submits that all pending claims are

allowable. The Applicant's silence with respect to the dependent claims should

not be construed as an admission by the Applicant that the Applicant is complicit

with the Examiner's rejection of these claims. Because the Applicant has

demonstrated the patentability of the independent claims, the Applicant need not

substantively address the theories of rejection applied to the dependent claims.

-18-

App. No.: 10/749,617

Attv. Docket No.: 6570P041

CONCLUSION

For the reasons provided above, the Applicant respectfully submits that the current set of claims is allowable. If the Examiner believes an additional telephone conference would expedite or assist in the allowance of the present application, the Examiner is invited to call Robert B. O'Rourke at (408) 720-8300.

Authorization is hereby given to charge our Deposit Account No. 02-2666 for any charges that may be due.

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

Date: 11/12___, 2006

Robert B. O'Rourke Reg. No. 46,972

12400 Wilshire Boulevard Seventh Floor Los Angeles, CA 90025-1030 (408) 720-8300

-19-